

**UNITED STATES DISTRICT COURT  
SOUTHERN DISTRICT OF WEST VIRGINIA  
CHARLESTON DIVISION**

IN RE JOHNSON & JOHNSON, PELVIC REPAIR  
SYSTEM PRODUCTS LIABILITY  
LITIGATION

CIVIL ACTION NO. 2:12-md-02327

MDL No. 2327

Judge Joseph R. Goodwin

---

**CERTIFICATE OF SERVICE**

---

The undersigned, counsel for Defendants, electronically served via email Ethicon, LLC's Verified First Supplemental Responses and Objections to Plaintiffs' First Set of Interrogatories to Defendants on December 4, 2012. The undersigned electronically filed the foregoing document with the Clerk of the Court by using the CM/ECF system and hereby certifies that the parties were provided a copy electronically through the CM/ECF system .

This 5<sup>th</sup> day of December, 2012.

/s/ Christy Jones  
Christy Jones, MS Bar No. 3192  
BUTLER, SNOW, O'MARA,  
STEVENS, & CANNADA, PLLC  
1020 Highland Colony Parkway  
Suite 1400  
Ridgeland, MS 39157  
(601) 985-4523 (phone)  
(601) 985-4500 (fax)

/s/ Kari Sutherland  
Kari Sutherland, MS Bar No. 10177  
BUTLER, SNOW, O'MARA,  
STEVENSON, & CANNADA, PLLC  
1200 Jefferson Ave.; Suite 205  
Oxford, MS 38655  
(662) 513-8002 (phone)  
(662) 513-8001 (fax)

Attorneys for the Defendants,  
Ethicon, LLC; Ethicon, Inc.; and  
Johnson & Johnson

ButlerSnow 14183653v1